

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE  
ER REGULATORY CONTACT RECORD

Date/Time: November 12, 2003/ 4:35 pm

Site Contact(s): Annette Primrose      Norma Castaneda  
Phone: 303 966-4385      303 966-4226

Regulatory Contact: Gary Kleeman  
Phone: 303 312-6246

Agency: EPA

Purpose of Contact: Permission to backfill at the Incinerator (SW-1)

**Discussion**  
As described in the October 22<sup>nd</sup> contact record, the decision to backfill at the Incinerator will be made based on the results of the confirmation sample gamma spectroscopy and metals results. These results were received and all are below the Wildlife Refuge Worker action levels. Based on this, backfill is permitted.

In addition, it was discussed that three concrete structures will remain; the footer under the northern wall, and the two caissons that were located under the incinerator where the southern wing walls joined this structure. None of these remaining strucures were in contact with ash and all will be greater than 3 feet below grade after final regrading.

As later discussed on November 13, 2003, a small amount of native fill was removed from the very top of the incinerator. Sample results for this material were below the Wildlife Refuge Worker action levels and it was agreed that this material could also be used as backfill.

Contact Record Prepared By: Annette Primrose

<u>Required Distribution:</u>		<u>Additional Distribution</u> <u>(choose names as applicable):</u>
S. Bell, RFFO	D. Mayo, K-H RISS	M. Broussard, K-H RISS
L. Brooks, K-H ESS	J. Mead, K-H ESS	J. Hindman, CDPHE
L. Butler, K-H RISS	S. Nesta, K-H RISS	G. Kleeman, USEPA
C. Deck, K-H Legal	K. North, K-H ESS	D. Kruchek, CDPHE
R. DiSalvo, RFFO	T. Rehder, USEPA	L. Norland, K-H RISS
S. Gunderson, CDPHE	D. Shelton, K-H	A. Primrose, K-H RISS
J. Legare, RFFO	C. Spreng, CDPHE	E. Pottorff, CDPHE
		S. Tower, DOE